Table of Contents

Volume 41, 1988

Number 1, January

Response of false broomweed and associated herbaceous species to fire—*Herman S. Mayeux, Jr., and Wayne T. Hamilton* 2
Coastal bermudagrass and Renner lovegrass fertilization responses in a subtropical climate—*Robert P. Wiedenfeld* 7
Seasonal burning and mowing impacts on *Sporobolus wrightii* grasslands—*Jerry R. Cox* 12
Response of three shrub communities in southeastern Idaho to spring-applied tebuthiuron—*Robert B. Murray* 16
Soil nitrogen accumulation in fertilized pastures of the Southern Plains—*William A. Berg* 22
The effect of clipping on the growth and miserotoxin content of Columbia milkvetch—*W. Majak, D.A. Quinton, H.E. Douwes, J.W. Hall, and A.D. Muir* 26
Seedling competition between mountain rye, 'Hycrest' crested wheatgrass, and downy brome—*Robert A. Buman, Stephen B. Monsen, and Rollin H. Abernethy* 30
Temperature requirements for mountain rye, 'Hycrest' crested wheatgrass, and downy brome germination—*Robert A. Buman and Rollin H. Abernethy* 35
Chemical composition of old world bluestem grasses as affected by cultivar and maturity—*S.M. Dabo, C.M. Taliaferro, S.W. Coleman, F.P. Horn, and P.L. Claypool* 40
Germination requirements of flameleaf sumac—*G. Allen Rasmussen and Henry A. Wright* 48
Establishment of winter versus spring aerial seedings of domestic grasses and legumes on logged sites—*R.M. Brooke and F.B. Holl* 53
Comparison of water use by *Artemisia tridentata* spp. *wyomingensis* and *Chrysothamnus viscidiflorus* spp. *viscidiflorus*—*Richard F. Miller* 58
Predicting biomass of five shrub species in northeastern California—*Robin S. Vora* 63
Defoliation impacts on coppicing browse species in northeast Brazil—*L.H. Hardesty and T.W. Box* 66
Influence of hunting on movements of female mule deer—*Roland C. Kufeld, David C. Bowden, and Donald L. Schrupp* 70
Grazing of crested wheatgrass with particular reference to effects of pasture size—*R.B. Hacker, B.E. Norton, M.K. Owens, and D.O. Frye* 73
Seasonal stocking of tobosa managed under continuous and rotation grazing—*D.M. Anderson* 78
Design of rain shelters for studying water relations of rangeland shrubs—*Pete W. Jacoby, R. James Ansley, and B.K. Lawrence* 83
Allelopathic effects of sandbur leachate on switchgrass germination: observations—*W. Roder, S.S. Waller, and J.L. Stubbendieck* 86
Secar bluebunch wheatgrass as a competitor to medusahead—*Carl J. Goebel, Mohammed Tazi, and Grant A. Harris* 88
Root containerization for physiological studies of shrubs and trees on rangeland—*R.J. Ansley, P.W. Jacoby, and B.K. Lawrence* ... 90
Growth of *Gutierrezia sarothrae* seedlings in the field—*Abdelgader Osman and Rex D. Pieper* 92
Book Reviews 94

Number 2, March

President's Address: Furthering the range management profession—*Jack R. Miller* 98
Arthropod predation of black grass bugs (Hemiptera: Miridae) in Utah ranges—*Jaime E. Araya and B. Austin Haws* 100
Longevity of harvester ant colonies in southern Idaho—*Sanford D. Porter and Clive D. Jorgensen* 104
Some vegetation responses to selected livestock grazing strategies, Edwards Plateau, Texas—*Thomas L. Thurow, Wilbert H. Blackburn, and Charles A. Taylor, Jr.* 108
Mule deer-induced mortality of mountain big sagebrush—*E. Durant McArthur, A. Clyde Blauer, and Stewart C. Sanderson* 114
Cattle grazing tall larkspur on Utah mountain rangeland—*James A. Pfister, Michael H. Ralphs, and Gary D. Manners* 118
Successional patterns in bitterbrush habitat types in northcentral Washington—*Berta A. Youtie, Brad Griffith, and James M. Peek* 122
The influence of climate and soils on the distribution of four African grasses—*Jerry B. Cox, M.H. Martin-R., F.A. Ibarra-F., J.H. Fourie, N.F.G. Rethman, and D.G. Wilcox* 127
Plant distribution surrounding Rocky Mountain pinyon pine and oneseed juniper in south-central New Mexico—*Susan M. Armentrout and Rex D. Pieper* 139
Influence of forest site on total nonstructural carbohydrate levels of pinegrass, elk sedge, and snowberry—*Janice K. Krueger and Donald J. Bedunah* 144
Germination responses of desert saltgrass to temperature and osmotic potential—*Greg J. Cluff and Bruce A. Roundy* 150
Use of leader lengths and diameters to estimate production and utilization of *Cercocarpus breviflorus*—*El Fatih Mahgoub, Rex D. Pieper, and Melchor Ortiz* 153
Analysis of Russian thistle (*Salsola* species) selections for factors affecting forage nutritional value—*James H. Hageman, James L. Fowler, Margaret Suzukida, Virginia Salas, and Roxanne Lecaptain* 155
Using the Green and Ampt infiltration equation on native and plowed rangeland soils—*Neil C. Hutten and Gerald F. Gifford* 159
Trace-element intake via soil ingestion in pronghorns and in black-tailed jackrabbits—*W. John Arthur, III, and Robert J. Gates* *162*
Simple pivot balance for measuring phytomass in quadrats—*D.E. Johnson, M.M. Borman, and Mohamed Ben Ali* 167
Collecting, drying, and preserving feces for chemical and microhistological analysis—*Ray T. Hinnant and M.M. Kothmann* 168
Economic optimum big sagebrush control for increasing crested wheatgrass production—*John A. Tanaka and John P. Workman* 172
An economic assessment of risk and returns from prescribed burning on tallgrass prairie—*D.J. Bernardo, D.M. Engle, and E.T. McCollum* 178
Book Reviews 184

Table of Contents

Volume 41, 1988

Number 1, January

Response of false broomweed and associated herbaceous species to fire—*Herman S. Mayeux, Jr., and Wayne T. Hamilton* 2
Coastal bermudagrass and Renner lovegrass fertilization responses in a subtropical climate—*Robert P. Wiedenfeld* 7
Seasonal burning and mowing impacts on *Sporobolus wrightii* grasslands—*Jerry R. Cox* 12
Response of three shrub communities in southeastern Idaho to spring-applied tebuthiuron—*Robert B. Murray* 16
Soil nitrogen accumulation in fertilized pastures of the Southern Plains—*William A. Berg* 22
The effect of clipping on the growth and miserotoxin content of Columbia milkvetch—*W. Majak, D.A. Quinton, H.E. Douwes, J.W. Hall, and A.D. Muir* 26
Seedling competition between mountain rye, 'Hycrest' crested wheatgrass, and downy brome—*Robert A. Buman, Stephen B. Monsen, and Rollin H. Abernethy* 30
Temperature requirements for mountain rye, 'Hycrest' crested wheatgrass, and downy brome germination—*Robert A. Buman and Rollin H. Abernethy* 35
Chemical composition of old world bluestem grasses as affected by cultivar and maturity—*S.M. Dabo, C.M. Taliaferro, S.W. Coleman, F.P. Horn, and P.L. Claypool* 40
Germination requirements of flameleaf sumac—*G. Allen Rasmussen and Henry A. Wright* 48
Establishment of winter versus spring aerial seedings of domestic grasses and legumes on logged sites—*R.M. Brooke and F.B. Holl* 53
Comparison of water use by *Artemisia tridentata* spp. *wyomingensis* and *Chrysothamnus viscidiflorus* spp. *viscidiflorus*—*Richard F. Miller* 58
Predicting biomass of five shrub species in northeastern California—*Robin S. Vora* 63
Defoliation impacts on coppicing browse species in northeast Brazil—*L.H. Hardesty and T.W. Box* 66
Influence of hunting on movements of female mule deer—*Roland C. Kufeld, David C. Bowden, and Donald L. Schrupp* 70
Grazing of crested wheatgrass with particular reference to effects of pasture size—*R.B. Hacker, B.E. Norton, M.K. Owens, and D.O. Frye* 73
Seasonal stocking of tobosa managed under continuous and rotation grazing—*D.M. Anderson* 78
Design of rain shelters for studying water relations of rangeland shrubs—*Pete W. Jacoby, R. James Ansley, and B.K. Lawrence* 83
Allelopathic effects of sandbur leachate on switchgrass germination: observations—*W. Roder, S.S. Waller, and J.L. Stubbendieck* 86
Secar bluebunch wheatgrass as a competitor to medusahead—*Carl J. Goebel, Mohammed Tazi, and Grant A. Harris* 88
Root containerization for physiological studies of shrubs and trees on rangeland—*R.J. Ansley, P.W. Jacoby, and B.K. Lawrence* ... 90
Growth of *Gutierrezia sarothrae* seedlings in the field—*Abdelgader Osman and Rex D. Pieper* 92
Book Reviews 94

Number 2, March

President's Address: Furthering the range management profession—*Jack R. Miller* 98
Arthropod predation of black grass bugs (Hemiptera: Miridae) in Utah ranges—*Jaime E. Araya and B. Austin Haws* 100
Longevity of harvester ant colonies in southern Idaho—*Sanford D. Porter and Clive D. Jorgensen* 104
Some vegetation responses to selected livestock grazing strategies, Edwards Plateau, Texas—*Thomas L. Thurow, Wilbert H. Blackburn, and Charles A. Taylor, Jr.* 108
Mule deer-induced mortality of mountain big sagebrush—*E. Durant McArthur, A. Clyde Blauer, and Stewart C. Sanderson* 114
Cattle grazing tall larkspur on Utah mountain rangeland—*James A. Pfister, Michael H. Ralphs, and Gary D. Manners* 118
Successional patterns in bitterbrush habitat types in northcentral Washington—*Berta A. Youtie, Brad Griffith, and James M. Peek* 122
The influence of climate and soils on the distribution of four African grasses—*Jerry B. Cox, M.H. Martin-R., F.A. Ibarra-F., J.H. Fourie, N.F.G. Rethman, and D.G. Wilcox* 127
Plant distribution surrounding Rocky Mountain pinyon pine and oneseed juniper in south-central New Mexico—*Susan M. Armentrout and Rex D. Pieper* 139
Influence of forest site on total nonstructural carbohydrate levels of pinegrass, elk sedge, and snowberry—*Janice K. Krueger and Donald J. Bedunah* 144
Germination responses of desert saltgrass to temperature and osmotic potential—*Greg J. Cluff and Bruce A. Roundy* 150
Use of leader lengths and diameters to estimate production and utilization of *Cercocarpus breviflorus*—*El Fatih Mahgoub, Rex D. Pieper, and Melchor Ortiz* 153
Analysis of Russian thistle (*Salsola* species) selections for factors affecting forage nutritional value—*James H. Hageman, James L. Fowler, Margaret Suzukida, Virginia Salas, and Roxanne Lecaptain* 155
Using the Green and Ampt infiltration equation on native and plowed rangeland soils—*Neil C. Hutten and Gerald F. Gifford* 159
Trace-element intake via soil ingestion in pronghorns and in black-tailed jackrabbits—*W. John Arthur, III, and Robert J. Gates* *162*
Simple pivot balance for measuring phytomass in quadrats—*D.E. Johnson, M.M. Borman, and Mohamed Ben Ali* 167
Collecting, drying, and preserving feces for chemical and microhistological analysis—*Ray T. Hinnant and M.M. Kothmann* 168
Economic optimum big sagebrush control for increasing crested wheatgrass production—*John A. Tanaka and John P. Workman* 172
An economic assessment of risk and returns from prescribed burning on tallgrass prairie—*D.J. Bernardo, D.M. Engle, and E.T. McCollum* 178
Book Reviews 184

Number 3, May

Changes in grass basal area and forb densities over a 64-year period on grassland types of the Jornada Experimental Range—*Robert P. Gibbens and Reldon F. Beck* 186

Correlation of degree-days with annual herbage yields and livestock gains—*Melvin R. George, Charles A. Raguse, W. James Clawson, Charles B. Wilson, Robert L. Willoughby, Neil K. McDougald, Don A. Duncan, and Alfred H. Murphy* 193

Factors influencing infiltrability of semiarid mountain slopes—*Bradford P. Wilcox, M. Karl Wood, and John M. Tromble* 197

Effects of temperature, water potential, and sodium chloride on Indiangrass germination—*Timothy E. Fulbright* 207

Irrigation water for vegetation establishment—*R.E. Ries, F.M. Sandoval, and J.F. Power* 210

Planting depth and soil texture effects on emergence and production of three alkali sacaton accessions—*Abraham De Alba-Avila and Jerry R. Cox* 216

Root systems of two Patagonian shrubs: A quantitative description using a geometrical method—*Robert J. Fernández* A. and Joie M. Paruelo 220

Levels of a neurotoxic alkaloid in a species of low larkspur—*Walter Majak and Michael Engelsjord* 224

Some observations from the excavation of honey mesquite root systems—*R.K. Heitschmidt, R.J. Ansley, S.L. Dowhower, P.W. Jacoby, and D.L. Price* 227

Effect of burning on seed production of bluebunch wheatgrass, Idaho fescue, and Columbia needlegrass—*Bob D. Patton, M. Hironaka, and Stephen C. Bunting* 232

Effect of defoliation frequency and N-P-K fertilization on maidencane—*R.S. Kalmbacher and F.G. Martin* 235

Growth and gas exchange of *Andropogon gerardii* as influenced by burning—*Tony J. Svejcar and James A. Browning* 239

Mechanical shrub control on flatwoods range in south Florida—*George W. Tanner, John M. Wood, Robert S. Kalmbacher, and Frank G. Martin* 245

Breed comparisons and characteristics of use of livestock guarding dogs—*Jeffrey S. Green and Roger A. Woodruff* 249

Electric fences for reducing sheep losses to predators—*Roger D. Nass and John Theade* 251

A seed midge pest of big bluestem—*M.R. Carter, G.R. Manglitz, M.D. Rethwisch, and K.P. Vogel* 253

Estimating digestibility of oak browse diets for goats by in vitro techniques—*Anastasios S. Nastis and John C. Malechek* 255

Heifer nutrition and growth on short duration grazed crested wheatgrass—*Kenneth C. Olson and John C. Malechek* 259

Herbage dynamics of tallgrass prairie under short duration grazing—*J.E. Brummer, R.L. Gillen, and F.T. McCollum* 264

A mapping table for obtaining plant population data—*Jeanne C. Chambers and R. W. Brown* 267

An inexpensive alternative esophageal cannula for growing steers and wethers—*M.L. Nelson* 269

Book Reviews 270

Number 4, July

Justification for grazing intensity experiments: Analysing and interpreting grazing data—*D.I. Bransby, B.E. Conrad, H.M. Dicks, and J.W. Drane* 274

Grazing, stocking, and production efficiencies in grazing research—*David L. Scarnecchia* 279

Cattle, vegetation, and economic responses to grazing systems and grazing pressure—*Richard H. Hart, Marilyn J. Samuel, Peter S. Test, and Michael A. Smith* 282

Vigor of needleandthread and blue grama after short duration grazing—*P.E. Reece, R.P. Bode, and S.S. Waller* 287

Vegetation response to the Santa Rita grazing system—*S. Clark Martin and Kieth E. Severson* 291

Infiltration and interrill erosion responses to selected livestock grazing strategies, Edwards Plateau, Texas—*Thomas L. Thurow, Wilbert H. Blackburn, and Charles A. Taylor Jr.* 296

Hydrologic impacts of sheep grazing on steep slopes in semiarid rangelands—*Bradford P. Wilcox and M.K. Wood* 303

Prediction of soil cover and soil rock for rangeland infiltration—*Walter J. Rawls, Donald L. Brakensiek, J. Roger Simanton, and Clayton L. Hanson* 307

Small-mammal mycophagy in rangelands of central and southeastern Oregon—*Chris Maser, Zane Maser, and Randy Molina* 309

Herbicidal control of pricklypear cactus in western Texas—*Joseph L. Petersen, Darrell N. Ueckert, and Robert L. Potter* 313

Bionomics of patterned herbicidal application for wildlife habitat enhancement—*C.J. Scifres, W.T. Hamilton, B.H. Koerth, R.C. Flinn, and R.A. Crane* 317

Coyote and bobcat responses to integrated ranch management practices in south Texas—*Lisa C. Bradley and Daniel B. Fagre* 322

Association of the wheat stem sawfly with basin wildrye—*Berta A. Youtie and James B. Johnson* 328

Root growth of *Artemisia tridentata*—*Bruce L. Welch and Tracy L.C. Jacobson* 332

Indian ricegrass seed damage and germination responses to mechanical treatments—*Larry W. Griffith and D. Terrance Booth* 335

Cellulase vs rumen fluid for in vitro digestibility of mixed diets—*Roy Lee Dickerson, Jr., Bill E. Dahl, and Gretchen Scott* 337

Physical development of orphaned white-tailed deer fawns in southern Texas—*Stephen Demarais, Robert E. Zaiglin, and Donald A. Barnett* 340

Patterns of American licorice seed predation by *Acanthoscelides aureolus* (Horn) (Coleoptera:Bruchidae) in South Dakota—*A. Boe, B. McDaniel, and K. Robbins* 342

Effect of drying method on the nutritive composition of esophageal fistula forage samples: influence of maturity—*E.A. Burritt, J.A. Pfister, and J.C. Malechek* 346

The grass spiklet formula: an aid in teaching and identification—*Kelly W. Allred and J. Travis Columbus* 350

Winterfat diaspore morphology—D. Terrance Booth 351

A quadrat frame for backcountry vegetation sampling—*Donald L. Neal, Raymond D. Ratliff, and Stanley E. Westfall* 353

A truck-mounted mobile screen for photodigital estimation of whole plant leaf area—*R.J. Ansley, D.L. Price, B.K. Lawrence, and P.W. Jacoby* 355

Book Reviews 359

Number 5, September

Writing for the reader—*Richard H. Hart* 362
Writing for your audience—*James A. Young* 364
Reader expectations: How important to meet?—*David A. Fischbach* 365
Peer review of technical manuscripts—*Gary W. Frasier* 366
What do researchers like to read?—*Henry A. Wright* 367
Obligations and expectations of your peers: manuscript review at the *Journal of Range Management*—*N.T. Hobbs* 368
Viewpoint: Who are those Smiths?—*Alan A. Beetle* 370
Plant community development on petroleum drill sites in northwestern Wyoming—*P.W. Smith, E.J. Depuit, and B.Z. Richardson* 372
Root excision and dehydration effects on water uptake in four range species—*M. Bassiri, A.M. Wilson, and R. Grami* 378
Dehydration effects on seedling development of four range species—*M. Bassiri, A.M. Wilson, and B. Grami* 383
Water and nitrogen effects on growth and allocation patterns of creosotebush in northern Chihuahuan Desert—*F.M. Fisher, J.C. Zak, G.L. Cunningham, and W.G. Whitford* 387
Variability within a native stand of blue grama—*W.J. McGinnies, W.A. Laycock, T. Tsuchiya, C.M. Yonker, and D.A. Edmunds* 391
Use of UV absorption for identifying subspecies of *Artemisia tridentata*—*George G. Spomer and Douglass M. Henderson* 395
Toxicological investigations on Ruby Valley pointvetch—*M. Coburn Williams and Russell J. Molyneux* 399
Comparative chemical composition of armed saltbush and fourwing saltbush—*Andres Garza, Jr., and Timothy E. Fulbright* 401
Effects of burning on germinability of Lehmann lovegrass—*G.B. Ruyle, B.A. Roundy, and J.R. Cox* 404
Fire effects on tobosagrass and weeping lovegrass—*Fred H. Roberts, Carlton M. Britton, David B. Wester, and Robert G. Clark* ... 407
Effects of prescribed fire on *Chamaespartium tridentatum* (L.)P. Gibbs) in *Pinus pinaster* (Aiton) forests—*Francisco C. Rego, Stephen C. Bunting, and M.G. Barreira* 410
Economic comparison of aerial and ground ignition for rangeland prescribed fires—*G. Allen Rasmussen, Guy R. McPherson, and Henry A. Wright* 413
Atrazine dissipation and off-plot movement in a Nebraska sandhills subirrigated meadow—*J.J. Brejda, P.J. Shea, L.E. Moser, and S.S. Waller* 416
Estimation of phytomass for ungrazed crested wheatgrass plants using allometric equations—*Patricia S. Johnson, Craig L. Johnson, and Neil E. West* 421
Methods of ytterbium analysis for predicting fecal output and flow rate constants in cattle—*K.P. Coffey, E.E. Pickett, J.A. Paterson, C.W. Hunt, and S.J. Miller* 426
The use of comparative yield and dry-weight-rank techniques for monitoring arid rangeland—*M.H. Friedel, V.H. Chewings, and G.N. Bastin* 430
Optimal stocking rate for cow-calf enterprises on native range and complementary improved pastures—*R.H. Hart, J.W. Waggoner, 435Jr., T.G. Dunn, C.C. Kaltenbach, and L.D. Adams* .....
Simulation and management implications of feral horse grazing on Cumberland Island, George—*Monica Goigel Turner* 441
Book Reviews 447

Number 6, November

Stability of African pastoral ecosystems: Alternate paradigms and implications for development—*James E. Ellis and David M. Swift* 450
Plant responses to pine management and deferred-rotation grazing in north Florida—*Clifford E. Lewis, George W. Tanner, and W. Stephen Terry* 460
Species diversity and diversity profiles: Concept, measurement, and application to timber and range management—*Clifford E. Lewis, Benee F. Swindel, and George W. Tanner* 466
Control of threadleaf rubber rabbitbrush with herbicides—*Steven G. Whisenant* 470
Defoliation of Thurber needlegrass:herbage and root responses—*David Ganskopp* 472
Season of cutting affects biomass production by coppicing browse species of the Brazilian caatinga—*Linda H. Hardesty, Thadis W. Box, and John C. Malechek* 477
Effects of dormant-season herbage removal on Flint Hills rangeland—*Lisa M. Auen and Clenton E. Owensby* 481
Stocking rate effects on intensive-early stocked Flint Hills bluestem range—*Clenton E. Owensby, Robert Cochran, and Ed F. Smith* 483
Determination of root mass ratios in alfalfa-grass mixtures using near infrared reflectance spectroscopy—*M.D. Rumbaugh, D.H. Clark, and B.M. Pendery* 488
Germination of green and gray rubber rabbitbrush and their establishment on coal mined land—*J.T. Romo and L.E. Eddleman* 491
Floristic changes induced by flooding on grazed and ungrazed lowland grasslands in Argentina—*Enrique J. Chaneton, Jose M. Facelli, and Rolando J.C. Leon* 495
Grazing effects of the bulk density in a Natraquoll of the Flooding Pampa of Argentina—*Miguel A. Toboada and Raúl S. Lavado*— 500
Stability of grazed patches on rough fescue grasslands—*Walter D. Willms, John F. Dormaar, and G. Bruce Schaalje* 503
Effects of phenology, site, and rumen fill on tall larkspur consumption by cattle—*James A. Pfister, Gary D. Manners, Michael H. Ralphs, Zhao Xiao Hong, and Mark A. Lane* 509
Habitat selection and activity patterns of female mule deer in the Front Range, Colorado—*Roland C. Kufeld, David C. Bowden, and Donald L. Schrupp* 515
Separating leaves from browse for use in nutritional studies with herbivores—*J.F. Gallagher, T.G. Barnes, and L.W. Varner* ... 522
Book Reviews .....